

Solution Number: 58333

Solution Summary: AMS Software Updates and Version Numbers - 4 August 2008

Publication Date: August 4 2008

****Paper copies of solutions may not be the most current solutions****

Complaint or Symptom :

New GS2 Live and Original GreenStar System updates now available August 4, 2008.

Problem or Situation :

Dealers and customers need to be aware of what Latest Software Versions for AMS Products.

Solution :

Below is a list of links that are available on the Stellar Support Website. You may also go to www.stellarsupport.com and click on Support and Downloads to find these links.

- [Support and Downloads page](#)
- [Instructions for Downloading the Latest Software Enhancement](#)
- [Instructions for Updating Software on Components in the Machine](#)

To check software versions on the **GreenStar 2 System** in the machine utilize the following steps.

- Press the Clock → Reprogram Device (SoftKey A)

Versions in **bold** changed in the most recent software update.

GS2 Component	Software Version
2100 or 2600 GS2 Displays	2.2.1163

All component versions currently on the CAN bus will be listed under Reprogram Device as well. i.e. StarFire Receiver, Original GreenStar Display, etc. The latest software versions for these components are listed further down in this solution.

To check software versions on the **Original GreenStar System** in the machine utilize the following Key strokes according to application being used.

- **Systems Programmed to a KeyCard Application**

Info → KeyCard → Devices on CAN Bus

- **Yield Mapping with a Brown Mobile Processor**

Info → Reprogram

- **Yield Monitoring or Yield Mapping with a Silver Wedge Box Mapping Processor**

Setup → Yield Mapping → Page 3 or 4, depending on current software on system

Versions in **bold** changed in the most recent software update.

KeyCard Application	Software Version
AutoTrac / Parallel Tracking	5.05E
Field Doc Basic	3.56E
Field Doc Air Cart	1.24E
Field Doc Connect	3.55F
Field Doc Planter - with John Deere SeedStar	3.34E
Field Doc Sprayer - with John Deere SprayStar	3.43F
Harvest Doc Combine	1.53E
Harvest Monitor Combine (Grain tank mount)	1.20C
Harvest Monitor Combine (Elevator mount)	7.01B
Harvest Doc Cotton	1.12F
Harvest Monitor Cotton - SCM software	1.06B
Harvest Doc SPFH	4.12E
Harvest Monitor SPFH	1.73A

Component	Software Version
AutoTrac Universal (ATU)	1.06F & 1.07R
AutoTrac Universal (ATU 200)	2.05D
GS2 Rate Controller	2.02F
GreenStar Display	1.93A
Original (Gen II) StarFire	7.60P

StarFire iTC	3.05D
TCM - Terrain Compensation Module	1.09A
Moisture Sensor - Grain Tank Mount	1.20C
Moisture Sensor - 2.5/Dual CAN Elevator Mount for Yield Map/Mon	6.60B
Moisture Sensor - 2.5/Dual CAN Elevator Mount for Harvest Doc/Mon	7.01B
Moisture Sensor - 4/5 Elevator Mount	5.60A
Yield Mapping - 2.5/Dual CAN Brown Mobile Processor	6.60D
Yield Mapping - 4/5 Silver Wedge Box Mapping Processor	5.70A
Cotton Mass Flow Sensor - CMFS	2.07C
Data Store	2.00
HarvestLab Moisture Sensor	38
SPFH GS2 Harvest Monitor (Download via SDS)	3.22A

AMS

SOFTWARE, AMS KeyCard, AMS FD Connect, AMS AutoTrac